Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 06/01/2023

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Natural Choice Ice Melter

Synonyms: Ice Melting Compound contains a proprietary combination of Sodium Chloride. Potassium Chloride, Calcium Magnesium Acetate and Liquid Magnesium Chloride with corrosion inhibitor & green dye pigment (FS2000)

1.2. Intended Use of the Product: Melting Ice

1.3. Name, Address, and Telephone of the Responsible Party

Company

Nu-Tec Specialty Products Inc. 2720 Couch Road Putnam, Ontario, Canada NOL 2B0

1.4. Emergency Telephone Number

Emergency Number: Chemtrec: 1-800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US) Not classified 2.2. Label Elements

GHS-US Labeling

No labeling applicable

2.3. Other Hazards

Other Hazards: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits irritating fumes. May be corrosive to metals upon prolonged contact.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Sodium Chloride	(CAS No) 7647-14-5	Proprietary	Not classified
Magnesium Chloride	(CAS No) 7786-30-3	Proprietary	Not classified
Potassium Chloride	(CAS No) 7447-40-7	Proprietary	Not classified
Calcium Magnesium Acetate	(CAS No) 76123-46-1	Proprietary	Not classified

The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Dust may cause mechanical irritation to eyes, nose, throat, and lungs.

Version: 2.0

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Skin contact with large amounts of dust may cause mechanical irritation.

Symptoms/Injuries After Eye Contact: Prolonged contact with large amounts of dust may cause mechanical irritation.

Symptoms/Injuries After Ingestion: Harmful if swallowed. Ingestion is likely to be harmful or have adverse effects.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: When heated to decomposition, emits irritating fumes.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (dust, fumes). Avoid all contact with skin, eyes, or clothing.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: When heated to decomposition, emits irritating fumes.

Precautions for Safe Handling: Do not breathe vapors, mist, spray.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition sources, incompatible materials.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers. Reactive metals.

Special Rules on Packaging: Keep only in original container.

Packaging materials: Store in corrosive resistant container with a resistant inner liner.

7.3. Specific End Use(s) Melting Ice

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

No additional information available.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure Controls

8.2. Exposure Controls		
Appropriate Engineering Controls Personal Protective Equipment	 Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Ensure adequate ventilation, especially in confined areas. Protective goggles. Protective clothing. Gloves. 	
Materials for Protective Clothing	: Chemically resistant materials and fabrics. Corrosion proof clothing.	
Hand Protection	: Wear chemically resistant protective gloves.	
Eye Protection	: Chemical goggles or face shield.	
Skin and Body Protection	: Wear suitable protective clothing.	
Respiratory Protection Other Information	Not required under normal conditions of use.When using, do not eat, drink or smoke.	
SECTION 9: PHYSICAL AND CHEMIC		
9.1. Information on Basic Physical		
Physical State	: Solid	
Appearance	: Green, Translucent Dry Granules, Pellets, and Crystalline	
	Solid	
Odor	: Minimal Odor	
Odor Threshold	: No data available	
рН	: No data available	
Evaporation rate	: No data available	
Melting Point	: 118 - 801 °C (244.4 - 1473.8 °F)	
Freezing Point	: No data available	
Boiling Point	: 160 - 1413 °C (320.0 - 2575.4 °F)	
Flash Point	: No data available	
Auto-ignition Temperature	: No data available	
Decomposition Temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor Pressure	: 1 mm Hg @ 865°C (1589°F)	
Relative Vapor Density at 20 °C	: No data available	
Relative Density	: No data available	
Specific Gravity	: 1.6 - 2.16	
Solubility	: 317 gpl @ 0° C (32°F). Hygroscopic. Soluble in alcohols. 36g/ 100g H₂O @20°C (68°F).	
Partition coefficient: n-octanol/water	: No data available	
Viscosity	: No data available	
9.2. Other Information No addition	nal information available	

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: When heated to decomposition, emits irritating fumes.

10.2 Chemical Stability: Stable under normal conditions.

10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

- 10.4 Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Incompatible materials.
- 10.5 Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Reactive metals.

10.6 Hazardous Decomposition Products: Hydrogen chloride. Chlorine. Sodium oxides. Potassium oxides. Oxides of magnesium.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Chloride (7647-14-5)		
LD50 Oral Rat	3 g/kg	
LC50 Inhalation Rat	> 42 g/m³ (Exposure time: 1 h)	
Magnesium Chloride (7786-30-3)		
LD50 Oral Rat	2800 mg/kg	
LD50 Dermal Rat	> 2000 mg/kg	
Calcium Magnesium Acetate (76123-46-1)		
LD50 Oral Rat	Criteria not met	
LD50 Dermal Rat	Criteria not met	
Potassium Chloride (7447-40-7)		
LD50 Oral Rat	2600 mg/kg	
Skin Corrosion/Irritation: Not classified		
Eye Damage/Irritation: Not classified		
Respiratory or Skin Sensitization: Not classified		
Germ Cell Mutagenicity: Not classified		
Carcinogenicity: Not classified		
Reproductive Toxicity: Not classified		
Specific Target Organ Toxicity (Single Exposure)). Not classified	
Specific Target Organ Toxicity (Single Exposure)	-	
Aspiration Hazard: Not classified	are, not classified	
Symptoms/Injuries After Inhalation: May cause	a recritatory irritation	
	ntact with large amounts of dust may cause mechanical irritation.	
	ed contact with large amounts of dust may cause mechanical irritation.	
	swallowed. Ingestion is likely to be harmful or have adverse effects.	
SECTION 12: ECOLOGICAL INFORMATIO		
12.1. Toxicity		
Sodium Chloride (7647-14-5)		
	50 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-	
thro	50 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow- ough])	
EC50 Daphnia 1 100	ough])	
EC50 Daphnia 1 100 LC 50 Fish 2 129	ough]) 00 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340	ough]))0 mg/l (Exposure time: 48 h - Species: Daphnia magna))46 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 340	ough]) 00 mg/l (Exposure time: 48 h - Species: Daphnia magna) 946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 0.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 197	ough]) 00 mg/l (Exposure time: 48 h - Species: Daphnia magna) 046 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 0.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 70 - 3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 197 LC50 Fish 1 197 EC50 Daphnia 1 140	ough]) 00 mg/l (Exposure time: 48 h - Species: Daphnia magna) 946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 0.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 197 LC50 Fish 1 197 EC50 Daphnia 1 140 Calcium Magnesium Acetate (76123-46-1) 197	ough]) 20 mg/l (Exposure time: 48 h - Species: Daphnia magna) 246 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 2.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 70 - 3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 20 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 197 LC50 Fish 1 197 EC50 Daphnia 1 140 Calcium Magnesium Acetate (76123-46-1) Batter 100 LC50 Fish 1 Batter 100	ough]) 00 mg/l (Exposure time: 48 h - Species: Daphnia magna) 046 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 0.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 70 - 3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 0 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) ased on available data, the classification criteria are not met	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 197 LC50 Fish 1 197 EC50 Daphnia 1 140 Calcium Magnesium Acetate (76123-46-1) 128 LC50 Fish 1 Ba EC50 Daphnia 1 8a	ough]) 20 mg/l (Exposure time: 48 h - Species: Daphnia magna) 246 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 2.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 70 - 3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 20 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 197 LC50 Fish 1 197 EC50 Daphnia 1 140 Calcium Magnesium Acetate (76123-46-1) 140 LC50 Fish 1 Ba EC50 Daphnia 1 Ba Potassium Chloride (7447-40-7) 140	ough]) 20 mg/l (Exposure time: 48 h - Species: Daphnia magna) 246 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 2.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 2.7 - 3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 2.7 - 3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 2.7 - 3880 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 2.8	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 197 LC50 Fish 1 197 EC50 Daphnia 1 140 Calcium Magnesium Acetate (76123-46-1) 16 LC50 Fish 1 Ba EC50 Daphnia 1 8a Potassium Chloride (7447-40-7) 106	ough]) 20 mg/l (Exposure time: 48 h - Species: Daphnia magna) 246 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 2.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 2.7 (3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 2.7 (and the species: Daphnia magna [Static]) 2.7 (and the species: Daphnia magna [Static]) 3.8 (and the species: Daphnia magna [Static]) 3.9 (b) (and the species: Daphnia magna [Static]) 3.9 (b) (b) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 197 LC50 Fish 1 197 EC50 Daphnia 1 140 Calcium Magnesium Acetate (76123-46-1) 126 LC50 Fish 1 Ba EC50 Daphnia 1 Ba Potassium Chloride (7447-40-7) 106 EC50 Daphnia 1 825	ough]) 20 mg/l (Exposure time: 48 h - Species: Daphnia magna) 246 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 2.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 70 - 3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 70 - 3880 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 70 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 6 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 60 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 60 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 60 mg/l (Exposure time: 48 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 1 100 LC 50 Fish 2 129 EC50 Daphnia 2 340 Magnesium Chloride (7786-30-3) 197 LC50 Fish 1 197 EC50 Daphnia 1 140 Calcium Magnesium Acetate (76123-46-1) 160 EC50 Daphnia 1 8a Potassium Chloride (7447-40-7) 106 EC50 Daphnia 1 106 EC50 Daphnia 1 825 LC 50 Fish 2 750	ough]) 20 mg/l (Exposure time: 48 h - Species: Daphnia magna) 246 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 2.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 2.7 (3880 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 2.7 (and the species: Daphnia magna [Static]) 2.7 (and the species: Daphnia magna [Static]) 3.8 (and the species: Daphnia magna [Static]) 3.9 (b) (and the species: Daphnia magna [Static]) 3.9 (b) (b) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	

12.2. Persistence and Degradability No additional information available

12.3. Bioaccumulative Potential

Natural Choice Ice Melter	
Bioaccumulative Potential	Not established.
Sodium Chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)

Safety Data Sheet

Magnes	ium Chloride (7786-30-3)	
BCF fish		(no bioaccumulation)
12.4.	Mobility in Soil No addit	ional information available
12.5. Other Adverse Effects		
Other In	formation	: Avoid release to the environment.
SECTION	N 13: DISPOSAL CONSI	DERATIONS
13.1.	Waste treatment metho	ods
Waste D	isposal Recommendations	: Dispose of waste material in accordance with all local, regional, national, and international
regulatio		
	N 14: TRANSPORT INFO	
	Accordance with DOT	Not regulated for transport
	Accordance with IMDG	Not regulated for transport
14.3 In /	Accordance with IATA	Not regulated for transport
SECTION	N 15: REGULATORY IN	
	N 15: REGULATORY IN US Federal Regulations	
15.1		
15.1 Sodium (US Federal Regulations Chloride (7647-14-5)	
15.1 Sodium (Listed on	US Federal Regulations Chloride (7647-14-5) the United States TSCA (To	FORMATION
15.1 Sodium (Listed on Magnesi	US Federal Regulations Chloride (7647-14-5) the United States TSCA (To um Chloride (7786-30-3)	FORMATION
15.1 Sodium (Listed on Magnesi Listed or	US Federal Regulations Chloride (7647-14-5) the United States TSCA (To um Chloride (7786-30-3) the United States TSCA (T	FORMATION oxic Substances Control Act) inventory oxic Substances Control Act) inventory
15.1 Sodium (Listed on Magnesi Listed or Calcium	US Federal Regulations Chloride (7647-14-5) the United States TSCA (To um Chloride (7786-30-3) the United States TSCA (To Magnesium Acetate (7612)	FORMATION oxic Substances Control Act) inventory oxic Substances Control Act) inventory
15.1 Sodium (Listed on Magnesi Listed or Calcium Listed or	US Federal Regulations Chloride (7647-14-5) the United States TSCA (To um Chloride (7786-30-3) the United States TSCA (T Magnesium Acetate (7612 the United States TSCA (T	FORMATION oxic Substances Control Act) inventory oxic Substances Control Act) inventory 23-46-1)
15.1 Sodium (Listed on Listed or Calcium Listed or Potassiu	US Federal Regulations Chloride (7647-14-5) the United States TSCA (To um Chloride (7786-30-3) the United States TSCA (To Magnesium Acetate (7612) the United States TSCA (To m Chloride (7447-40-7)	FORMATION oxic Substances Control Act) inventory oxic Substances Control Act) inventory 23-46-1)
15.1 Sodium (Listed on Listed or Calcium Listed or Potassiu Listed or	US Federal Regulations Chloride (7647-14-5) the United States TSCA (To um Chloride (7786-30-3) the United States TSCA (To Magnesium Acetate (7612) the United States TSCA (To m Chloride (7447-40-7)	FORMATION oxic Substances Control Act) inventory foxic Substances Control Act) inventory 23-46-1) oxic Substances Control Act) inventory
15.1 Sodium (Listed on Listed or Calcium Listed or Potassiu Listed or 15.2	US Federal Regulations Chloride (7647-14-5) the United States TSCA (To um Chloride (7786-30-3) the United States TSCA (T Magnesium Acetate (7612 the United States TSCA (To m Chloride (7447-40-7) the United States TSCA (To	FORMATION oxic Substances Control Act) inventory foxic Substances Control Act) inventory 23-46-1) oxic Substances Control Act) inventory
15.1 Sodium (Listed on Calcium Listed or Potassiu Listed or 15.2 Sodium (U.S Tex	US Federal Regulations Chloride (7647-14-5) the United States TSCA (To um Chloride (7786-30-3) the United States TSCA (To Magnesium Acetate (7612 the United States TSCA (To m Chloride (7447-40-7) the United States TSCA (To US State Regulations	FORMATION oxic Substances Control Act) inventory oxic Substances Control Act) inventory 23-46-1) oxic Substances Control Act) inventory oxic Substances Control Act) inventory oxic Substances Control Act) inventory els - Long Term

Magnesium Chloride (7786-30-3)

U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term

Calcium Magnesium Acetate (76123-46-1)

U.S. - Texas - Effects Screening Levels - Long Term U.S. - Texas - Effects Screening Levels - Short Term

Potassium Chloride (7447-40-7)

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

:

Revision date Other Information : 06/01/2021

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

GHS Full Text Phrases:

Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1.	Serious eye damage/eye irritation Category 1
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.